





REQUEST FOR QUOTATION
19H08021K0396
THE EMBASSY OF THE UNITED
STATES OF AMERICA REQUIRES A


Company: _____

To provide the following:

	Item Description	Image	Quantity	Unit price	Total
1.	BRAND NAME OR EQUAL TO "Stranded Junior Thermoplastic (SJT) Cable 3x12 - Cable TSJ 3x12" SPECS: Voltage 300V; Amperage 20 or 25 amps; Gauge 12AWG; 3 Conductors; PVC thermoplastic insulation and jackets.		18 rolls of 100m/328ft each or equivalent		
2.	BRAND NAME OR EQUAL TO " Stranded Junior Thermoplastic (SJT) Cable 3x10 - Cable TSJ 3x10" SPECS: Voltage 300V; Amperage 30 amps; Gauge 10AWG; 3 Conductors; PVC thermoplastic insulation and jackets.		15 rolls of 100m/328ft each or equivalent		
3.	BRAND NAME OR EQUAL TO " Stranded Junior Thermoplastic (SJT) Cable 2x14 - Cable TSJ 2x14" SPECS: Voltage 300V; Amperage 18 amps; Gauge 14AWG; 2 Conductors; PVC thermoplastic insulation and jackets.		16 rolls of 100m/328ft each or equivalent		
4.	BRAND NAME OR EQUAL TO " Thermoplastic High-Heat-Resistant Nylon (THHN6) building wire, Black -Cable THHN 6 Color Negro " SPECS: Color: Black; Voltage 600V AC; Gauge 6AWG; 1 Conductors; PVC thermoplastic insulation; Nylon jacket; UL Standard.		8 rolls of 100m/328ft each or equivalent		






5.	BRAND NAME OR EQUAL TO " Thermoplastic High-Heat-Resistant Nylon (THHN4) building wire, Black - Cable THHN 4 Color Negro " SPECS: Color: Black; Voltage 600V AC; Gauge 4AWG; 1 Conductors; PVC thermoplastic insulation; Nylon jacket; UL Standard		10 rolls of 100m/328ft each or equivalent		
6.	BRAND NAME OR EQUAL TO "Thermoplastic High-Heat-Resistant Nylon (THHN4) building wire, Red - Cable THHN 4 Color Rojo" SPECS: Color: Red; Voltage 600V AC; Gauge 4AWG; 1 Conductors; PVC thermoplastic insulation; Nylon jacket; UL Standard		12 rolls of 100m/328ft each or equivalent		
7.	BRAND NAME OR EQUAL TO " LOAD Center QO MLO 240V 225A 3PH 42SP part number QO142L225G with cover part number QOC42US - Panel 2HP de 42 Espacios con tapa " SPECS: Standards: UL; Product: Load Center; Number of Spaces: 42; rated Current: 225A; Number of phases: 3 phases. Electrical Connection: Lugs; Grounding Bar included; Enclosure material: Welded sheet steel; voltage rating 240/120 V delta AC. Cover: Surface Cover; Surface Finish: Painted Gray;		2 units		
8.	BRAND NAME OR EQUAL TO "5/8 inx8 ft Copper Ground Rod - Varilla Polo tierra 5/8x8 " SPECS: Type: Ground Bar; Material: Copper; diameter: 5/8in; length: 8 UL listed;		4 units		
9.	BRAND NAME OR EQUAL TO " Bronze 5/8 in Ground Rod Clamp - grapa polo tierra 5/8" SPECS: Type: Wire connector; Fits 5/8 in grounding rod; material:bronze UL listed;		4 units		

10.	<p>BRAND NAME OR EQUAL TO " Scotch 3/4 in. x 66 ft. x 0.008 in. Super 88 Vinyl Electrical Tape, Black - Cinta Aislante Scotch 3/4inx66 "</p> <p>SPECS: Made of black durable PVC; UL Listed. Size: 3/4 in. x 66 ft. x 0.0085 in</p>		50 units		
11.	<p>BRAND NAME OR EQUAL TO " Octagon Electrical Box - Caja Octagonal "</p> <p>SPECS: Box type: ceiling box; mounting: surface; trade size: ½ in; Made from pre-galvanized steel; dimensions: 4 in. x 1-1/2 in. deep ; with combination screw heads; rated for 50 lb light fixture;</p>		80 units.		
12.	<p>BRAND NAME OR EQUAL TO " 3 in. x 10 ft.Electric Metallic Tube (EMT)- Tubo EMT de 3"</p> <p>SPECS: made of galvanized steel; UL 797 listed; length: 10ft; trade size: 3in;</p>		30 units		
13.	<p>BRAND NAME OR EQUAL TO " Electric Metallic Tube (EMT) 3in 90-Degree Elbow - Curvas EMT de 3"</p> <p>SPECS: application type: EMT; Trade size: 3in; Material: Galvanized Steel; Electrical product Type: Elbow. UL listed.</p>		15 units		
14.	<p>BRAND NAME OR EQUAL TO " Electric Metallic Tube (EMT) 3 in. Set Screw Coupling - Coupling EMT Tornillo 3 "</p> <p>SPECS: application type: EMT; Fitting type: coupling; material: Galvanized Steel; trade size: 3 in; UL listed;</p>		12 units		

15.	<p>BRAND NAME OR EQUAL TO "4 in. Square Box, heavy, 2-1/8 in. Deep with 3/4 in. KO's - Caja de 4x4 Metal pesadas"</p> <p>SPECS: Box type: Wall box; Material: Steel; Number of gangs 2; Number of knockouts/pryouts: 13; Mounting: Surface; Metallic; size: 4in . Supplied with one 1/2 in. and twelve 3/4 in. knockouts</p>		20 units		
16.	<p>BRAND NAME OR EQUAL TO "2 in. x 4 in. Electrical Box, heavy - Caja de 2x4 Metal Pesadas"</p> <p>SPECS: Box type: Wall box; Material: Steel; Number of gangs 1; Number of knockouts/pryouts: 7; Mounting: Surface; Metallic; size: 4 in. x 2 in. x 1-7/8 in. Deep. UL Listed.</p>		225 units		
17.	<p>BRAND NAME OR EQUAL TO " 2 in. x 4 in Plastic Wall Electrical Box - Caja de 2x4 plastica"</p> <p>SPECS: Box type: Wall box; Material: Plastic; Number of gangs 1; Number of knockouts/pryouts: 6; Mounting: In-wall/Surface; Molded; size: 4 in. x 2 in. x 1-7/8 in. Deep.UL listed.</p>		50 units		
18.	<p>BRAND OR EQUAL TO "15 Amp GFCI Outlet, White, with wall plate"</p> <p>Tomacorrientes doble Tipo GFCI 15Amp, blanco con placa"</p> <p>SPECS: outlet type: GFCI ; outlet configuration: Duplex; Indoor; outlet location: Wall; number of outlets: 2; Grounding: Self-Grounding; Color: White; Maximum Amperage: 15 amps; UL listed; with wall plate.</p>		35 units		
19.	<p>BRAND OR EQUAL TO " 15 Amp Duplex Outlet, White - Tomacorrientes doble de 15A Polarizado Blanco"</p> <p>SPECS: outlet type: Standard; Outlet Configuration: Duplex; Indoor; Outlet Location: Wall; Mounting type: Surface mount; Number of outlets: 2; Grounding: Self-Grounding; Outlet Material: Plastic. Maximum Amperage: 12Amps; Voltage: 125 volt; Wired; UL listed.</p>		185 units		





20.	BRAND OR EQUAL TO " White with 1 Gang Decorator Wall plate - Placa para tomacorriente blanca" SPECS: Number of gangs; 1-Gangs; Material: Plastic; Shape: rectangular; Feature: Wall Mountable. Screws included; application type: outlet/switch plate. Color: White.		185 units		
21.	BRAND OR EQUAL TO "360° Large Motion Extended Range Ceiling Mount Occupancy Sensor- Sensor de Movimiento de 360 grados " SPECS: Electrical Product Type: Motion Sensor; Field of View: 360 degrees; Mounting type: Ceiling mounted; Indoor; Motion Sense Type: Occupancy; Voltage: 120 volt; Coverage Area (sq.ft): 12; Color: White;Commercial; UL listed.		45 units		
22.	BRAND OR EQUAL TO "15 Amp Single Pole Rocker Light Switch, White, with wall plate- Interruptor Sencillo blanco, 15Amp con placa " SPECS:Switch style: Rocker; Number of switches: Single; Mounting Type: In Wall; Voltage: 120volt, 277 volt; Function type: on-off; amperage: 15 amps; UL listed. Color: white. With wall plate included.		50 units		
23.	BRAND OR EQUAL TO "15 Amp Dual Switch, White with wall plate - Interruptor Doble blanco, 15 Amp con placa " SPECS: Switch style: Specialty; Number of switches: Double; Mounting Type: In Wall; Voltage: 120volt, 277 volt; Function type: on-off; amperage: 15 amps; UL listed. Color: white. With wall plate included.		5 units		
24.	BRAND OR EQUAL TO " 15 Amp Triple Switch, White with wall plate- Interruptor Triple, blanco , 15 Amp con placa " SPECS: Switch style: Toggle; Number of switches: Triple; Mounting Type: In Wall; Voltage: 120volt, 277 volt; Function type: on-off; amperage: 15 amps; UL listed. Color: white. With wall plate included.		2 units		

25.	BRAND OR EQUAL TO " 20 Amp 1 in. Single-Pole Circuit Breaker - Breaker sencillo de 20 A" SPECS: Electrical Product Type: Breaker; Interruption Type: Standard trip; Maximum amperage: 20 amps; Breaker Type: Single Pole; Mounting Type: Plug –on; Voltage: 120 volts; UL listed.		25 units		
26.	BRAND OR EQUAL TO " 30 Amp 1 in. Single-Pole Circuit Breaker - Breaker sencillo de 30A" SPECS: Electrical Product Type: Breaker; Interruption Type: Standard trip; Maximum amperage: 30 amps; Breaker Type: Single Pole; Mounting Type: Plug –on; Voltage: 120 volts; UL listed.		30 units		
27.9.	BRAND OR EQUAL TO " 40 Amp 1 in. Single-Pole Circuit Breaker -Breaker sencillo de 40A" SPECS: Electrical Product Type: Breaker; Interruption Type: Standard trip; Maximum amperage: 40 amps; Breaker Type: Single Pole; Mounting Type: Plug –on; Voltage: 120 volts; UL listed.		30 units		
28.	BRAND OR EQUAL TO " 50 Amp 1 in. Single-Pole Circuit Breaker - Breaker sencillo de 50A" SPECS: Electrical Product Type: Breaker; Interruption Type: Standard trip; Maximum amperage: 50 amps; Breaker Type: Single Pole; Mounting Type: Plug –on; Voltage: 120 volts; UL listed.		20 units		
29.	BRAND OR EQUAL TO " 30 Amp 1 in. Double-Pole Circuit Breaker - Breaker doble de 30A" SPECS: Electrical Product Type: Breaker; Interruption Type: Standard trip; Maximum amperage: 30 amps; Breaker Type: Double Pole; Mounting Type: Plug –on; Voltage: 2400 volts; UL listed.		25 units		

30.	BRAND OR EQUAL TO " 40 Amp 1 in. Double-Pole Circuit Breaker- breaker doble de 40A" SPECS: Electrical Product Type: Breaker; Interruption Type: Standard trip; Maximum amperage: 40 amps; Breaker Type: Double Pole; Mounting Type: Plug –on; Voltage: 2400 volts; UL listed.		25 units		
31.	BRAND OR EQUAL TO " 50 Amp 1 in. Double-Pole Circuit Breaker- breaker doble de 50A" SPECS: Electrical Product Type: Breaker; Interruption Type: Standard trip; Maximum amperage: 50 amps; Breaker Type: Double Pole; Mounting Type: Plug –on; Voltage: 2400 volts; UL listed.		20 units		
32.	BRAND OR EQUAL TO " Q4L MOLDED CASE CIRCUIT BREAKER, 240VAC, 400A, 3P part number Q4L3400 - Breaker de 400 AMP, 3P, 240V AC" SPECS: Product Type: Circuit Breaker; Trip Unit Technology: Thermal Magnetic; Circuit Breaker Rating Code: Q4; Rated current: 400A; Number of Poles: 3P; Rated Operational Voltage: 240V AC; Mounting Mode: Unit Mount; Electrical Connection: Lugs Load, and lines; Magnetic Hold Current: 2000A; Magnetic tripping Current: 4000A; UL Certified, IEC and CSA. Warranty of at least 1 year.		1 unit		
33.	BRAND NAME OR EQUAL TO "Breaker Box for Q4L MOLDED CASE CIRCUIT BREAKER, 240VAC, 400A, 3P – Caja para breaker de 400 AMP, 3P, 240V AC " SPECS: Product type: Breaker box; Must fit a circuit breaker 3 pole, 10 kA, 240 V, 200 A; UL listed.		1 unit		
34.	BRAND OR EQUAL TO " 12 in. Cable Tie - Fajas Para Amarre De Lineas De Cable Electrico De 12" SPECS: Product Type: Tie; Product length: 12in; Color: White and Black are acceptable. Tensile Strength: approximately 50lb.		15 bags of 100 units each		

35.	BRAND OR EQUAL TO " 8 in. Cable Tie- Fajas Para Amarre De Lineas De Cable Electrico De 8" SPECS: Product Type: Tie; Product length: 8in; Color: White and Black are acceptable. Tensile Strenght: approximately 50lb.		10 bags of 100 units each		
36.	BRAND OR EQUAL TO " 3in BX-Flex Straight Insulated Squeeze Connector - Conector Para Bx De 3", Insulado, recto " SPECS: Straight Type; Material: Zinc; (2) Screw, Squeeze Installation; UL, CSA Approval; ; 3 Inch Trade Size; 3.33 to 3.63 Inch Cord Size; Insulated Throat Type; Flex Conduit; Single Cable Opening.		4 units		
37.	BRAND OR EQUAL TO " 2-Gauge x 3/8 in. Copper Tin Coated Connector Ring Terminals - Terminal De Ojo Para Cable De #2 " SPECS: ELectrical product type: Wire connector; Wire capacity: 2; UL certified.		4 units		
38.	BRAND OR EQUAL TO " 2-2AWG C-Tap Connector Compression, Aluminum- Remache para cable de 2-2" SPECS: Conductor Size: 2 AWG Solid/Stranded; Die Index Number: C; Material: Aluminum; Length: 1-½ in; Height: 1in;		4 units		
39.	BRAND OR EQUAL TO " 8 in. x 8 in. x 4 in. Cantex Junction Box - Caja de 8x8 Cantex " SPECS: Box type: Juction Box; Material: PVC; mounting: nail on; non metallic; number of gangs: 0; number of knockouts: 0.		2 units		
40.	BRAND OR EQUAL TO "4 in. Metal Octagon Electrical Box 1/2 in. Knockouts - Caja Octagonal 4in con Agujero De 1/2" " SPECS: Box type: Ceiling box; Material: Steel; number of knockouts: 9; Mounting: Surface; Metallic. UL listed.		120 units		

41.	BRAND OR EQUAL TO " 4 in. Welded Square Electrical Box with ½ and ¾ in knockouts - Caja De 4 X 4 Mixta " SPECS: Box type: Wall box; Material: Steel; Number of gangs 2; Number of knockouts/pryouts: 16; Mounting: Surface; Metallic; size: 4in x 1 ½ in deep. Ten 1/2 in. and six TKO knockouts		80 units		
42.	BRAND OR EQUAL TO " 1/2 in. Electrical Metallic Tube (EMT) 1-Hole Straps- Abrazadera De Ojo De 1/2" " SPECS: Application type: EMT; Fitting type: Strap; Trade size: ½; Material: Galvanized Steel; Electrical product Type: Standard Fitting. UL Listed.		350 units		
43.	BRAND OR EQUAL TO " 3/4 in. Electrical Metallic Tube (EMT) 1-Hole Straps- Abrazadera De Ojo De 3/4" " SPECS: Application type: EMT; Fitting type: Strap; Trade size: ¾; Material: Galvanized Steel; Electrical product Type: Standard Fitting. UL Listed.		360 units		
44.	BRAND OR EQUAL TO " 20 Amp Duplex Outlet, White- Tomacorriente de 20Amp, doble, blanco" SPECS: Outlet type: Standard; Outlet Configuration: Duplex; Indoor; Mounting Type: In wall; Number of Outlets:2; Grounding: Self Grounding; Outlet Material: thermoplastic; Maximum amperage: 20 amps; Voltage: 125 volts.		90 units		
45.	BRAND OR EQUAL TO " White with 1 Gang Wall plate - Tapa p/toma blanca " SPECS: Number of gangs; 1-Gangs; Material: Plastic; Shape: rectangular; Feature: Wall Mountable. Screws included; application type: outlet/switch plate. Color: White.		90 units		
46.	BRAND OR EQUAL TO " 3in BX Flexible Metallic Conduit - BX Con Forro De 3" " SPECS:Electrical Product type: Conduit; Conduit type: Metallic; Material:Galvanized steel construction with flexible PVC jacket; Flexible; Flexible; UL listed; Size: 3in		80 meters		

47.	BRAND NAME OR EQUAL TO " 3/4in Non-Metal Liquid-Tight Conduit - Electroducto de ¾in " SPECS: Diameter (In.) : ¾; Electrical Conduit Type: Liquid-tight; Material Non-Metallic; UL listed; resistant to: corrosion, oil and water		60 rolls of 100m		
48.	BRAND OR EQUAL TO "Stranded Junior Thermoplastic (SJT) 3x8 Cable, Black - CABLE TSJ 3 X 8" SPECS: Voltage 300V; Amperage 40 amps; Gauge 8AWG; 3 Conductors; PVC thermoplastic insulation and jackets.		10 rolls of 100m/328ft each or equivalent		
49.	BRAND OR EQUAL TO " BRAND NAME OR EQUAL TO " Heavy Octagon Electrical Box - Caja Octagonal tipo pesada " PECS: Box type: ceiling box; mounting: surface; trade size: ½ in; Made from pre-galvanized steel; dimensions: 4 in. x 1-1/2 in. deep ; with combination screw heads; heavy.		60 units.		
50.	" BRAND NAME OR EQUAL TO "Great Stuff 16oz Insulating Foam Sealant - Espuma para Sellado de Conductos" SPECS: Insulation Type: Spray Foam Insulation; Airtight, water-resistant; Bright orange, or White; Compatible Install Surface: Cement,Concrete,Existing Insulation,PVC/C PVC Pipes,Plywood,Wood. Product Weight (oz.): 16 oz.		30 units.		

A. Supplies and Prices:

The Contractor shall provide to the U.S. Government the new products as described in the specifications for the stated firm fixed price. Further, the Contractor shall properly perform the delivery to the location set forth under Place of Delivery, of this document. The firm fixed price shall include the products pre-delivery inspection, certificates of origin, operator's manuals, warranty certificates and any other documentation mandated by the destination country.

B. Delivery Date:

Delivery Date will be seven (7) calendar days maximum after receipt of the award. Must deliver all items.

C. Place of Delivery:

The contractor is responsible for ensuring delivery of goods in San Pedro Sula, Cortes, Honduras. The exact address will be provided to the vendor awarded:

D. Evaluation Factor:

- a. The U.S. Government intends to evaluate this requirement based on the **lowest price technically acceptable (LPTA)**. *NOTE: Offerors shall include specific details and delivery time in their responses to this RFQ. All pricing shall reflect Lempiras.*
- b. **Company Documents:** Please include the following documents (all documents should be up to date):
 - Company License / SAM Number
 - Company RTN
 - Company address and telephone Number
 - Contact Name, telephone number and email address
- c. **Delivery Terms:** The vendor is responsible for the delivery of all items listed above under this Request of quotation (Brand name or Equal) in the stated shipping address. Offers shall include proposed delivery time.
- d. **Offers/ Quotes:** Complete pricing section in Lempiras (L).

NOTE:

52.225-17 Evaluation of Foreign Currency Offers (FEB 2000)

If the Government receives offers in more than one currency, the Government will evaluate offers by converting the foreign currency to United States currency using the exchange rate used by the Embassy in effect as follows:

- (a) For acquisitions conducted using sealed bidding procedures, on the date of bid opening.*
- (b) For acquisitions conducted using negotiation procedures—*
 - 1. On the date specified for receipt of offers, if award is based on initial offers; otherwise*
 - 2. On the date specified for receipt of proposal revisions.*

- e. **Tax Exempted:** VALUE ADDED TAX (VAT) is not applicable and shall not be included in

the CLIN rates or Invoices because the U.S. Embassy has a tax exemption certificate from the host government. Tax Exemption will be sent digitally for your support.

- f. **Payment:** Payment through **Government Purchase Credit Card**. Payment will be processed once the requester has confirmed as complete the delivered items.

Your offer must be submitted no later than **March 26, 2020 at 11:00 a.m. (Tegucigalpa, Honduras Time)** via e- mail to sosaax@state.gov. Offers received after deadline will not be considered.

If there are any questions regarding this Request for Quotation, please contact Ada Sosa, Program Assistant, email: sosaax@state.gov

March 15, 2021

Company: _____

Contact Name and Position: _____

Telephone Number: _____

Signature: _____

Date: _____

PLEASE FILL PRICES, TOTAL, AND SIGN. THIS REQUEST OF QUOTATION SHOWS YOUR PROOF OF READING AND UNDERSTANDING OF THE BID.